

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	0	Saulpaughand-Thomas-E.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 21:37
L10	51	9 and @ad<"20000814"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 21:36
L9	68	Slaughter-Gregory-L.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 21:34
L8	1	chu-Hsiao-Keng.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 21:34
L7	0	Duigou-Michael.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 21:33
L6	5	Demailly-Laurent.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 21:31
L5	0	Demailly-Laurent.in. and @ad<"20000814"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 21:31
L4	45	3 and @ad<"20000814"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 21:30
L3	73	Traversat-Bernard-A.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 21:28

L2	7	(SUN with MICROSYSTEMS with INC.as. and ("709"/((220-222).ccls.) and @ad<"20000814") and (configu\$3 same (boot\$3 or initializ\$3)) and disconnect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 21:25
L1	48	(SUN with MICROSYSTEMS with INC.as. and ("709"/((220-222).ccls.) and @ad<"20000814") and (configu\$3 same (boot\$3 or initializ\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 21:24
S120	0	S103 and boot\$3 near4 local\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:53
S103	134	(server\$1! near5 (down or unavailable or "not available")) near20 (connect\$4 near4 (failover or fail-over or local\$3 or client\$1!))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:53
S119	9	S104 and S116	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:45
S118	0	S103 and S116	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:45
S117	0	S111 and S116	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:45
S116	104	client\$1! near5 (function\$5 near7 (like or alike or similar\$3)) near5 server\$1! and @ad<"20000814"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:44
S115	54	client with functionality with similar with server and @ad<"20000814"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:43
S114	2	failover adj client and @ad<"20000814"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:24

S113	0	S112 and (server near5 (down or available or disconnect\$3)) near20 (configur\$5 adj5 (network adj environment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:23
S112	76	S111 and @ad<"20000814"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:19
S111	222	configur\$3 near5 network adj environment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:19
S98	44	S97 and (server near10 (down or available or disconnect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:19
S110	13	S108 and @ad<"20000814"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:14
S108	50	configur\$5 near4 ((network adj environment) near5 client\$1!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:13
S109	6	S104 and S108	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:12
S106	0	configur\$5 adj4 (network adj environment adj4 on adj4 client\$1!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:10
S105	4	S103 and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:09
S104	2696	((709/105).CCLS.) or ((709/220).CCLS.) or ((709/221).CCLS.) or ((709/222).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:05

S10 2	19	configur\$3 with network with (offline or off-line or disconnect\$3) with (dynamically or automatically)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:03
S10 1	1	((execut\$3 or process\$3 or operat\$3) with (disconnect\$3 or offline or off-line)) with client) and ((configur\$5 adj4 (network adj environment) with client))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:01
S10 0	6	((((709/105).CCLS.) or ((709/220). CCLS.) or ((709/221).CCLS.) or ((709/222).CCLS.)) and (execut\$3 with (disconnect\$3 or offline or off-line) with client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 18:00
S99	27	((((709/105).CCLS.) or ((709/220). CCLS.) or ((709/221).CCLS.) or ((709/222).CCLS.) or ((713/1). CCLS.) or ((713/1).CCLS.) or ((713/2).CCLS.) or ((717/168). CCLS.)) and ((execut\$3 or process\$3 or operat\$3) with (disconnect\$3 or offline or off-line) with client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 17:58